

**Boldfaced** page references denote illustrations; *t* references denote information in tables.

## A

absolute zero, 317  
 accuracy, **44**–46, 58  
 acetaldehyde, 666  
 acetic acid: as buffer, 570–571; equilibrium of, 460, *t* 460, 470, 567–570, **568**, *t* 570; formula of, *t* 214, *t* 455; pH of, 491, **574**; properties of, *t* 410, 457; strength of, 470, *t* 471, **473**; in vinegar, 453, 457, 486; as weak electrolyte, 433  
 acetone, 673  
 acetylene, 287, 518, **652**  
 acid-base theories, 464–471  
 acid-ionization constant(s), 569–570, *t* 570, 573, 585  
 acidosis, 759  
 acid rain, 259, **475**, 478, 492, 496  
 acid(s): Arrhenius, 459, *t* 468, 476; binary, *t* 214, *t* 454, 454–455; Brønsted-Lowry, 464–471, *t* 468, 476, 572–573; conjugate, 469–471, *t* 471, 476; decomposition of, 260, 454; dilution of, 463; diprotic, 466, 476; as electrolytes, 432–433; ionization constants of, 569–570, *t* 570, 573, 585; Lewis, 467–468, *t* 468; neutralization of, 473–475. *See also* neutralization reaction(s); nomenclature of, *t* 454, 454–455, *t* 455; organic, 460; overview of, 214–215, 454–455, 476; oxyacids, *t* 214, 455, *t* 455, 470; strong/weak, 460–461, *t* 483, 491, 498, **499**, 504  
 ACS (American Chemical Society), 18  
 actinide series of elements, **21**, 126, 138, *t* 147  
 activation energy, 533–537, 540–541, 546  
 activity series of the elements, 265–267, *t* 266, 269, 272–273. *See also* chemical reaction(s)  
 Adair, James, 646  
 addition polymer(s), 686–689  
 addition reaction(s), 682–683, 693–694

adenosine triphosphate (ATP), **766**  
 adipic acid, 690  
 aerosol(s), 398  
 air, discovery of, 338–339  
 air pollution, 43, *t* 398, 778  
 alchemy, **8**  
 alcohol, ethyl. *See* ethanol  
 alcohol dehydrogenase, 666  
 alcohol(s), 663–666, *t* 671, *t* 679, 693. *See also* individual alcohols  
 aldehyde(s), 672–673, *t* 679, 693  
 alexandrite, 743  
 alkali metal(s), **132**, 728–733  
 alkaline batteries, **609**  
 alkaline earth metal(s), **132**, 734–739  
 alkalinity, 461  
 alkaloid(s), 678  
 alkalosis, 759  
 alkane(s): branched-chain, *t* 637, 637–641; cycloalkane(s), 635–636, 642; nomenclature of, *t* 636, 636–642, 656; overview of, 634–636; properties of, *t* 643, 643–645, *t* 671  
 alkene(s), 647–651, 656  
 alkyl group(s), nomenclature and, *t* 637, 637–642  
 alkyl halide(s), 666–669, *t* 679, 682, 693  
 alkyne(s), 651–652, 656  
 allotrope(s), **626**–628  
 alloy(s), **396**, 397, **740**, *t* 745, 746, *t* 753  
 alpha particle(s): discovery of the nucleus and, **72**, **73**; exposure to, **713**; overview of, **72**, **73**, *t* 705, 706, **710**; radioactive decay and, **710**, 722  
 aluminum: activity series and, 265, *t* 266; in alloys, *t* 745, 753, *t* 753; analysis of, **751**; electron configuration of, *t* 111; in gemstones, 743; heat of vaporization of, *t* 182; molar mass of, 83–84; properties of, **22**, 39, **55**, *t* 55, **750**, *t* 752; reactions of, 751; in redox reactions, *t* 591, *t* 603, *t* 615; in semiconductors, 768–769; specific heat of, *t* 513; uses of, **752**–753  
 aluminum carbide, 253  
 aluminum hydroxide, 253, 453  
 aluminum oxide, 206–207, 276–277, **751**, 752, 777

aluminum sulfate, 426  
 aluminum sulfide, 576  
 aluminum trichloride, 184  
 amalgam(s), dental, **396**, **744**  
 American Chemical Society (ACS), 18  
 amine(s), 677–679, *t* 679, 693  
 amino acid(s), **761**  
 ammonia: acid/base strength of, *t* 471, 472; in aqueous solution, 461–462; configuration of, 172, **185**, *t* 186, **188**; fertilizers and, 560–561, 773; formation of, 282, 561, 562–564, **563**, *t* 779; household, **453**, **494**; oxidation of, 284–285; pH of, 461, **494**, 571, **575**; properties of, *t* 190, **191**–192, *t* 410, *t* 513  
 ammonium acetate, **572**, 576  
 ammonium chloride, **408**, *t* 410, 426, 530, **572**, 574–576  
 ammonium dichromate, **241**  
 ammonium ion, 180, *t* 471, 571  
 ammonium nitrate, 410, 429, 526–527  
 amorphous solid(s), 368, 371  
 ampere, *t* 34, 58  
 amphoteric compound(s), 471–473, 777  
 anemia, 749, 762  
 angular momentum quantum number(s), 101–102, *t* 102  
 anhydride(s), 776–777  
 aniline, 462  
 anion(s): in electrochemical cells, 608; hydrolysis of, 572–573, 585; nomenclature for, 209–210, *t* 210, 234; oxyanions, 209–211, 214; radii of, **149**–150  
 anode(s), **70**–71, **607**, 610–614, 616  
 antacid(s), 453, 473, 479, **494**  
 antimony: in alloys, *t* 745; analysis of, **771**; electron configuration of, *t* 114; origin of symbol for, *t* 20; properties of, 24, **770**, *t* 771; reactions of, *t* 266, 771  
 apatite, 783  
 aqueous solution(s), 425–433, 461, 481–491  
 aragonite, **369**  
 argon: discovery of, 108–109, 125; electron configuration of, *t* 111, 112, 139; light from, **24**

Aristotle, 8, 65, 338  
 aromatic hydrocarbon(s), 652–656, **653**  
 Arrhenius, Svante, 435, 459  
 Arrhenius acids and bases, 459–462, 464, *t* 468, 476  
 arsenic: analysis of, **771**; electron configuration of, 129; properties of, **770**, *t* 771; reactions of, 771; in semiconductors, 768–769  
 ascorbic acid, **453**  
 aspirin, 296–297, **571**  
 astatine, 137, *t* 708, **780**, *t* 782  
 atmosphere, unit of, 311, *t* 311  
 atmospheric pressure, **309**–312, **310**, 326  
 atomic absorption spectroscopy, 751, 755, 775, 781  
 atomic mass(es), 78–80, *t* 80, 86  
 atomic mass unit(s), 78  
 atomic number(s), 75, 77–78, 86, 155  
 atomic radii: of alkali metals, *t* 730; of alkaline earth metals, *t* 736; of boron family elements, *t* 752; of carbon family elements, *t* 755; of *d*- and *f*-block elements, 153; of nitrogen family elements, *t* 771; overview of, 74, 140–**141**, **142**; of oxygen family elements, *t* 776; of transition metals, *t* 743  
 atomic theory, 8, 65–67, 96–97, 98–104  
 atom(s), 70–82, 94, 160–199  
 ATP (adenosine triphosphate), **766**  
 Aufbau principle, 105, 110, 113, 117  
 automobile batteries, 612, **613**  
 autooxidation, 604–605  
 Avogadro, Amedeo, 81, 334, 339  
 Avogadro's law, **334**–335, 341, 356  
 Avogadro's number, 81, 84–86, 225, 335  
 azurite, **369**

## B

bakelite, 673  
 baking powder, 297–298, 473  
 baking soda (sodium hydrogen carbonate), **453**, **494**  
 Balmer series, 95, **97**

- band of stability, 702, **703**
- barium: activity series and, *t* 266; electron configuration of, 115, 116; flame test for, **735**; properties of, **734**, **735**, *t* 736; in redox reactions, 257, *t* 615; uranium decay and, 721
- barium carbonate, *t* 579, 581–582
- barium chloride, *t* 445, 583–584, 737
- barium chromate, **16**
- barium nitrate, 223, 426, 430, 444–445
- barium sulfate, 430, *t* 579, 583–584
- barometer(s), 310, 326, 338–339
- base(s): aqueous solutions of, 461; Arrhenius, 459, *t* 468, 476; Brønsted-Lowry, 464–467, *t* 468, 476, 493–494, 572–573; conjugate, 469–471, *t* 471, 476; dissociation constants of, 574; Lewis, 467–468, *t* 468; neutralization of, 473–475. *See also* neutralization reaction(s); in nucleic acids, **766**; properties of, 457–458, 476; strong/weak, 461–462, *t* 483, 491, 498, **499**, 504
- batrachotoxin A, **678**
- batteries, 434, 608–**613**, **609**
- battery acid, **494**. *See also* sulfuric acid
- bauxite, **750**
- Becquerel, Henri, 8, 705, 713
- benzaldehyde, **673**
- benzene, *t* 190, 406, *t* 513, 652–656
- benzoic acid, **453**, 674
- 3,4-benzpyrene, 655
- beryl, **734**
- beryllium: electron configuration of, 110, *t* 110, 183–184; ionization energies of, 145, *t* 145; properties of, **734**, **735**, *t* 736
- beryllium fluoride(s), **184**, *t* 186
- Berzelius, Jöns Jacob, 435
- beta particle(s), *t* 705, 706, **710**, **713**
- binary acid(s), *t* 214, *t* 454, 454–455
- binary compound(s), 206–213, *t* 214, 259, *t* 454, 454–455
- binding force(s), in crystals, 369–371
- biochemistry, 6, 761–766
- bismuth: analysis of, **771**; nuclear stability of, 703; properties of, 22, **770**, *t* 771; reactions of, *t* 266, 771
- blast furnace(s), **756**
- blood, **16**, 17, 411, 486, 571, 758–759. *See also* hemoglobin
- Böhr, Niels, **95**, 96–97
- Böhr's model of the atom, 96–97, 98
- boiling, 366, 378–379
- boiling point(s): of alcohols and alkanes, *t* 664, *t* 671; of alkali metals, *t* 730; of alkaline earth metals, *t* 736; of boron family elements, *t* 752; of carbon family elements, *t* 755; of ethers, *t* 671; of liquids, **377**, 378–379; molal boiling-point constants, *t* 438, 441, 447; molecular forces and, 179, 189, *t* 190; of nitrogen family elements, *t* 771; of organic compounds, *t* 632, *t* 643, 643–645, *t* 644; overview of, 11–**12**, 378; of oxygen-family elements, *t* 776; of solids, *t* 370; of solutions, 436–438, 440–441, 443; of transition metals, *t* 743
- boiling point elevation, 440–441, 447
- bombardier beetle(s), **605**
- bond energy, 167, *t* 168, *t* 173
- bonding, chemical, 160–199
- bond length, 167, *t* 168, *t* 173, 194
- bond strength, 182
- boron: covalent bonds of, 169; electron configuration of, 107, *t* 110, *t* 170; ionization energies of, 145, *t* 145; properties of, **750**, *t* 752; reactions of, 751; uses of, 767–**769**
- boron family elements, 750–753
- boron trifluoride, 468
- Bosch, Karl, 561
- Boyle, Robert, 313, 338–339
- Boyle's law: calculations using, 330; development of, 313–315, 321, 326, 338–339; ideal gas law and, 341, 356
- branched-chain alkane(s), *t* 637, 637–641
- brass, 396, *t* 745, **746**
- bromide, *t* 471, **781**
- bromine: boiling point of, *t* 190, 530; covalent bonds of, *t* 168; electron configuration of, 136; properties of, 137, 152, **366**, **780**, *t* 782; reactions of, **781**; in redox reactions, *t* 219, *t* 603, *t* 615
- bromine fluoride, 190–**191**
- bromphenol blue, **495**
- bromthymol blue, **482**, **495**, 498
- Brown, Robert, 398
- Brownian motion, 398
- Brønsted, J. N., 464
- Brønsted-Lowry acids and bases, 464–467, *t* 468, 476
- buckyball(s) (fullerenes), 626, **628**
- buffer(s), 570–571. *See also* pH
- butane: boiling point of, *t* 643, *t* 664; properties of, *t* 632; structure of, **625**, 631, **635**, 636; 2,2-butanediol, 664
- butanoic acid, 674, *t* 675
- butanol, 664, *t* 671
- 2-butanone, 673
- butyl methyl ether, 670
- C**
- cadaverine, 678
- cadmium, *t* 114, *t* 266, 266–267, *t* 615, **742**, 749
- cadmium sulfide, 429, *t* 579
- caffeine, 678
- calcite, **369**
- calcium: activity series and, *t* 266; in the body, 738, *t* 738; electron configuration of, 112, *t* 112; flame test for, **735**; properties of, 83, *t* 513, **734**, **735**, *t* 736; in redox reactions, *t* 603, *t* 615
- calcium carbonate: acid rain and, **475**; decomposition of, 260, 349, 564–565; liming streams with, 492; solubility of, *t* 579
- calcium chloride, 426
- calcium fluoride, 177–**178**, *t* 179, 578–579, *t* 579, 582
- calcium hydroxide, 260, *t* 404, *t* 461, *t* 579
- calcium hypochlorite, 783
- calcium oxide, *t* 179, 258, 294, *t* 779
- calcium phosphate, 428
- calculator(s), **52**
- calorimeter(s), 511, **519**, 551
- candela, *t* 34, 58
- Cannizzaro, Stanislao, 123
- carbohydrate(s), 763–764
- carbon: cycling of, 68; electron configuration of, *t* 110, 138, **188**; ionization energies of, 145, *t* 145; iron ore reduction and, 756; isotopes of, 78, *t* 80, *t* 708, 715; oxidation num-
- bers for, *t* 219; properties of, **23**, **81**, *t* 513, **754**, *t* 755; reactions of, 755; structure and bonding of, *t* 170, *t* 173, 625–626, 629–630
- carbon-12, 78, 81, 86
- carbon cycle, **757**
- carbon dioxide: dry ice, 380; formation of, 13–14, 68, 281, 757; polarity of, **191**; properties of, 757; respiration and, 68, 758–759; solubility of, *t* 404, **407**, **408**; structure of, 187, 757
- carbon disulfide, 294
- carbon family elements, 754–769
- carbonic acid: decomposition of, 260; dissociation of, *t* 460, *t* 471, 554; formula of, *t* 214, *t* 455; respiration and, 758 uses of, **453**
- carbon monoxide: in car exhaust, 43, 307; catalysts for, 307; heat of formation of, 522–523; poisoning by, 307, 760, *t* 760; production of, 291, 757; structure of, 66–**67**
- carbon tetrachloride: formation of, 270, 682; properties of, *t* 190, **191**; as solvent, 405–406, 418
- carboxylic acid(s), 674–675, *t* 679, 693
- Carothers, Wallace, 690
- casein, 395
- catalyst(s): carbon monoxide, 307; in chemical equations, *t* 246, 246–247; equilibrium and, 565, 585; reaction rate and, 540, **541**, 546
- catalytic converter(s), 307
- catenation, 630, 656
- cathode ray(s), **70**, 71, 86
- cathode(s), **70–71**, **607**, 610–614, 616
- cation(s), **149–150**, 234, 573–574, 585, 608
- cavitation, 166
- cell membrane(s), 443, 765
- cellulose, **764**
- cementite, 745
- centimeter, 35–**36**
- centrifuge(s), **16**, 17
- cerium, 115
- cerium sulfate, *t* 404, 409
- cesium: analysis of, **729**; electron configuration of, 115; isotopes of, *t* 80; properties of, 163, **728**, 729, *t* 730
- cesium chloride, **408**

- CFC(s) (chlorofluorocarbons), 668–669, 682, 693, 699
- chalcopyrite, 22, **369**
- change(s) of state, 12–13, 25, 247, *t* 372, 372–382
- Charles, Jacques, 316, 339
- Charles's law, 316–319, 321, 326, 341, 356
- chemical bonding, 160–199
- chemical equation(s): balancing, 244–**245**, 247, 250–254, 264, 597–600; calculations from, 280–287; for dissociation reactions, 426–429; equilibrium and, 374, 555–559, 585; formula, 244–245, 250–252, 430; net ionic, 429–430, 447; for neutralization reactions, 474–475; overview of, 241–250; for redox reactions, 597–601; symbols used in, 245–248, *t* 246; thermochemical, 515–524; word, 243–244, 247–248, 250–252
- chemical equilibrium. *See also* equilibrium constant(s); of acids, bases, and salts, 569–576; changes of state and, 372–375; effect of pressure on, 407; equations of, 374, 555–559, 585; reversibility of, 553–555, 585; shifting, 562–568, 585; in solution, **402**
- chemical formula(s): in chemical equations, 242–245, 250–252, 430; determination of, 229–233; empirical, 229–233, 234; experimental, 232–233; formula masses, 221–223; molecular, 164, 232–233; overview of, 164, 203–204, 234; oxidation numbers and, 218–219; structural, 171, 630–631, 635, 640–641, 656
- chemical kinetics, 538–545, 547, 555–557
- chemical reaction(s): activity series, 265–267, *t* 266, 269, 272–273; atomic theory and, 65–66; completion of, 565–567; discussion of, 13; double-replacement, 262–263, 269, 428–430; elimination, 684, 693; endothermic, **409**, 515–**517**, *t* 529, 546, 564–565; exothermic. *See* exothermic reaction(s); heats of, **513**, 514–523, 546; homogeneous, 532; indications of, 241–242, 269; intermediates in, 532, 535; mechanisms of, 526–537, 542–544, 546; neutralization, 473–475, 497, 502–503, 567, 574–575; organic, 682–684; oxidation-reduction, 591–617; pathways of, 542–543; rates of, 538–545, 547, 555–557; reactants and products in, 13; reversible, 246–247, 249–250, 553–555; substitution, 682, 693; synthesis, 256–259, 269; types of, 256–264
- chemical(s), description of, 6, 25
- chemistry: biochemistry, 6, 761–766; electrochemistry, 606–616; inorganic, 6; organic. *See* organic chemistry; overview of, 5, 6, 32; physical, 6; theoretical, 6; thermochemistry, 511–524, 546
- Chilean saltpeter (sodium nitrate), *t* 404, **408**, *t* 410, 560
- chlorate, 187, *t* 471
- chloric acid, *t* 471, **472**
- chloride, *t* 190, *t* 471, 731, *t* 731, **781**
- chlorine: chlorine-37, 77–78; covalent bonds of, *t* 168, **169**; electron configuration of, *t* 111, 139, 149; oxidation numbers of, *t* 219; production of, *t* 779; properties of, 23, 137, **140**, 163, **780**, *t* 782; reactions of, **781**; in redox reactions, 593, *t* 603, *t* 615
- chlorine dioxide, 783
- chlorobenzene, 293
- chloroethene, 632
- chlorofluorocarbon(s) (CFCs), 668–669, 682, 693, 699
- chloroform (trichloromethane), 255, 682
- chlorophyll, 738, **739**
- chlorous acid, *t* 214, *t* 455, *t* 471, **472**
- chromic acid, 473
- chromium: activity series and, *t* 266; in alloys, **745**, *t* 745; analysis of, **742**; in the body, 749; electron configuration of, *t* 112, 113; in gemstones, 743; properties of, 22, *t* 743; in redox reactions, **592**, *t* 603, *t* 615, **741**
- chromium fluoride, 209
- chromium hydroxide, 473
- cinnamaldehyde, **673**
- cis* isomer(s), 632–633, 648
- citric acid, **453**, **674**
- cPE (cross-linked polyethylene), 686–687
- coal gasification, 298
- cobalt: analysis of, **742**; in the body, 749; electron configuration of, *t* 112, 113; properties of, *t* 743; radioactive nuclides, *t* 708, 715; reactions of, 258, 265, *t* 266, *t* 615
- coefficient(s) in chemical equations, 243–245, 248–254, 515, 517
- coenzyme(s), 762
- colligative properties of solutions, 436–447
- collision theory, 532–535, **533**, 538–540, 542–543, 546, 563
- colloid(s), 397–399, *t* 398, 419
- combustion, 263, 278–279, 645
- common-ion effect, 567–568, 585
- composition reaction(s), 256–259, 269
- composition stoichiometry, 275
- compound(s): amphoteric, 471–473, 777; in aqueous solution, 425–433; binary, 206–213, *t* 214, 259, *t* 454, 454–455; coordination, **741**; covalent bonding in, 164–175; description of, **15**, 25; ionic. *See* ionic compound(s), molecular; molecular compound(s)
- compressibility, 305, 364, 368
- concentration: equilibrium and, 375, 556–558, 563–564; reaction rate and, **539**–544; of solution(s), 412–418; units of, *t* 36, 412–418
- condensation, 373–377
- condensation polymer(s), 690–691, 694
- condensation reaction(s), 683, 693
- conduction band(s), **768**
- coniine, 678
- conservation of energy, 15
- conservation of mass, 66, 86, 241, 243–244, 251, 279
- contact theory of electrolysis, 435
- control rod(s), 718
- conversion factor(s): molar, 224–226, 234, 276–277, 280–286, 299; overview of, 40–42, 58; significant digits and, 50, 58
- coordination compound(s), **741**
- copolymer(s), 685, 694
- copper: activity series and, *t* 266, 266–267; in alloys and ores, **740**, *t* 745, *t* 753; analysis of, **742**; in the body, 749; density of, **38**, *t* 38, 39, 57; in drinking water, 268; in electrochemical cells, **606**–**608**, 610–611, 613–615; electron configuration of, *t* 112, 113; isotopes of, 80, *t* 80; origin of symbol for, *t* 20; properties of, **22**–23, 25, **81**, 82, 84–85, *t* 743; redox reactions of, **593**, **603**, *t* 603, **741**; reduction potential of, *t* 615; specific heat of, *t* 513
- copper(I) chloride, *t* 579, 580
- copper(II) hydroxide, 462
- copper(II) sulfate, 405, **413**, **416**, 601
- copper(II) sulfide, 227, *t* 579
- corn borer(s), 633
- corundum, 743
- cotton, 764
- covalent bonding: boiling points and, *t* 190; in crystals, 370–371; double, 172, 186, 626, 632, 648; ionization and, 431; Lewis acids and, 467–468; molecular compounds and, 164–175, *t* 168, *t* 173, 194; multiple, 172–174, 194; nonpolar, **162**, **163**; overview of, 161–163, **162**; polar, **162**, **163**; in polyatomic ions, 180, 186; redox reactions and, 594–595; single, 171, 194; triple, 173, 186, 626, 651
- covalent-network bonding, 175, 214
- covalent network crystal(s), **370**, **371**
- Crick, Francis, 680–681
- critical mass, 718
- critical point(s), 381
- critical pressure(s), 382
- critical temperature(s), 381
- Crookes, William, 560
- cross-linked polyethylene (cPE), 686–687
- crystal lattice(s): hydration and, **405**; ionic bonding and, **177**, **178**, **179**; metallic bonding and, **181**; types of, **369**
- crystalline solid(s), 368–371, 387
- crystal structure(s): of alkali metals, *t* 730; of alkaline earth metals, *t* 736; of alloys, 746; of boron family elements, *t* 752; of carbon family elements, *t* 755; of nitrogen family elements, *t* 771; of oxygen family elements, *t* 776
- cuprum, *t* 20. *See also* copper

Curie(s), Marie and Pierre, 8–9, 705  
Curl, Robert F., 628  
cyanide, hydrogen, 166, *t* 460  
cycloalkane(s), 635–636, 642

## D

Dalton, John, 8, 66, 67, 70, 86, 322  
Dalton's atomic theory, 8, 66–67  
Dalton's law of partial pressures, 322–326, 334  
daughter nuclide(s), 710  
Davy, Humphry, 434–435  
de Broglie, Louis, 98  
Debye, Peter, 446  
decay series, 710–711, 722  
decomposition reaction(s), 259–260, 269  
definite proportions, law of, 66, 86  
Democritus, 65, 67

density: of alkali metals, *t* 730;  
of alkaline earth metals, *t* 736;  
of boron family elements, *t* 752; of carbon family elements, *t* 755; determination of, 39; of gases, 305, 345–346, 353; of liquids, 364; of nitrogen family elements, *t* 771; of oxygen family elements, *t* 776; of solids, 368; of transition metals, *t* 743; units of, *t* 36, **38**, *t* 38

2-deoxy-D-ribose, **763**

deoxyribonucleic acid (DNA), 680–681, 713, **766**

deposition, 380–381

deuterium (hydrogen-2), 76–77, *t* 80

diabetes, 759

diamond(s): density of, *t* 38, 40; structure of, **10**, 370, **626**–627; synthetic, 646

diatomic molecule(s), 164, 168–169, **183**, *t* 243, 334

diborane, 229–230

1,2-dibromopropane, 667

dichlorodifluoromethane (Freon-12), 668

1,2-dichloroethene, 632

dicyclohexyl ether, 670

diethyl ether, **377**, 670, *t* 671

diffraction patterns, 98, **99**

diffusion, **305**, **351**–355, 364, 369

1,2-dimethylbenzene, 654

dinitrogen tetroxide, 564–**565**

dioxins, 166

dipole-dipole force(s), 190–192, 195, 371  
diprotic acid(s), 466, 476  
direct proportion(s), *t* 55, 55–56, 58  
disaccharide(s), **763**  
dispersion(s), 397. *See also* colloid(s)  
displacement reaction(s), 261–262, 265, 269  
dissociation, 425–430, 447, 574  
dissolution. *See also* solubility; in aqueous solution, **425**–430; entropy and, **528**; rate of, 401–402, 404, 419; temperature and, 401–403, *t* 404, **408**–409  
DNA (deoxyribonucleic acid), 680–681, 713, **766**  
dolomite, **734**  
dopant(s), 768, *t* 769  
Dorn, Friedrich Ernst, 109, 126  
double bond(s), 172, 626, 632, 648  
double-replacement reaction(s), 262–263, 269, 428–430  
drinking water, 258, 268, 782–783  
dry cell(s), **608**, **609**  
ductility, 22, 182, 194

## E

effervescence, **407**

effusion of gases, 306, 351–356

Einstein, Albert, 93–94

Einstein's equation, 701

electrical conductivity: acids and bases and, 454, 458; bonding and, 179, 181; in electrochemical cells, 607; electrolytes and, 399–400, 419; in metals, metalloids, and nonmetals, 22–24, 134, 194; in semiconductors, 24, 137, **768**–769; through gases, 70; wiring for, 752

electric current, units of, *t* 34, 58

electrochemical cell(s), 606–613, 617

electrochemistry, 606–616

electrode potential(s), 613–614, 617

electrode(s), **607**, 613–616

electrolysis: electrolytic cells for, 610, 617; history of, 434–435; of water, **17**, **250**, 259

electrolyte(s), 399–400, 419, 432–433, 443–447, *t* 731, 731–732

electrolytic cell(s), 607, 610–613, **611**, 617

electrolytic theory, 434–435

electromagnetic radiation, 91–94, **92**

electron capture, 707

electron density, 162, **163**, 167, 473

electron-dot notation, **170**–171, 174, 176–177, 464

electronegativity, **151**–154, **152**, 161–163, **162**, 473

electron pair(s), 161–162, 171, 183–187, 195

electron(s): affinity, *t* 147, 147–149, **148**; charge and mass of, 71, 73, *t* 74; configurations, 105–116, 128–139, 140–154; delocalized, 627, 653, 655–656; discovery of, 70–71; dual wave-particle nature of, 98–99, 117; in electrochemical cells, 608–612; lone pairs, 171, 185–187; orbitals of, 96, 100–104, **102**, **103**, *t* 104, **105**; in oxidation-reduction reactions, 593–595, 598–599; valence, *t* 150, 150–151, 155

electron-sea model of metallic bonding, 181–182, 194

electroplating, 611–**612**

element(s): activity series of the, 265–267; description of, 8, **15**; electron configuration of, 110–115; Group 1, 22, 132, 728–733, *t* 777; Group 2, 132, 734–739, *t* 777; Group 3–12, 740–749; Group 13, 750–753, *t* 777; Group 14, 754–769, *t* 777; Group 15, 770–773, *t* 777; Group 16, 774–779, *t* 777; Group 17, 23, 265, 432, *t* 777, 780–783; Group 18, 24, 111; periodic table of. *See* periodic table of the elements; periods of, 21, 110–115, 128–139; symbols of, *t* 20; types of, 22–25

elimination reaction(s), 684, 693

emerald, **369**, 743–744, *t* 744

empirical formula(s), 229–233, 234

emulsion(s), 397, *t* 398

endothermic reaction(s), **409**, 515–**517**, *t* 529, 546, 564–565

end point(s) of titration, 498, **501**, 504

energy, changes in, 14–15; in chemical reactions, 513–23, units of, *t* 36

enthalpy, 515–521, 526, 529, 546

entropy, 526–529, 546

enzyme(s), 762–763

equation(s). *See* chemical equation(s)

equilibrium. *See* chemical equilibrium

equilibrium constant(s). *See also* chemical equilibrium; in acid and base reactions, 569–571, 573–574, 585; calculation of, 588–589; concentration and, 375, 556–558, 563–564; Nernst equation and, 620–621; overview of, 556–559; solubility-product constants, 578–580

equilibrium vapor pressure.

*See* vapor pressure

equivalence point(s), 498–499, 504, **574**, **575**

error(s) in measurement, 45–46, 58

ester(s), 675–676, *t* 679, 693

ethane, 296, 634, **635**, *t* 643, *t* 664

ethanedioic acid, 674

1,2-ethanediol, 664

ethanol: as fuel, 665–666; ingestion of, 666; properties of, *t* 38, 366, **376**, **377**, *t* 513, *t* 664; as solvent, **406**; structure of, **473**, **631**

ethene: configuration of, 172, **626**; formation of, 683; properties and uses of, 650–**651**, 656

ether(s), 669–671, *t* 679, 693

ethyl alcohol. *See* ethanol

ethyl butanoate, 675, *t* 676

ethylene glycol, 699

ethyl ethanoate, 675

ethylmethylamine, 677

2-ethyl-3-methyl-1-butene, 649–650

3-ethyl-4-methylhexane, 640–641

ethyl propyl ether, 670

ethyne (acetylene), 287, 518, **652**

evaporation, 365–366, **373**–379

exhaust emission(s), 43

exothermic reaction(s): activation energy and, 534; equilibria and, 564; heat of reaction in, 514–**516**, *t* 529; heat of solution in, **409**;

overview of, **241**, 546; redox and, **606**; self-heating meals and, 525

expansion of gases, 304

**F**

Faraday, Michael, 434–435  
 fatty acid(s), 630, 633, 764–765  
 Fermi, Enrico, 720–721  
 Fermi International Accelerator Laboratory (Fermilab), **711**  
 fertilizer(s), 560–561, 715, 773, *t* 773, 779  
 film badge(s), **714**, 722  
 filtration, **16**  
 fire extinguisher(s), 296  
 fireflies, 630  
 fireworks, **736–737**  
 flame test(s), 729–730, **735**, 737, 771, 775  
 flare(s), 737  
 flashlight batteries, 609  
 flavoring(s), 676  
 fluidity of gases, 304–305  
 fluid(s), 363  
 fluorapatite, 783  
 fluoridation of drinking water, 258, 783  
 fluoride, *t* 471, 781, 783  
 fluorine: covalent bonds of, *t* 168, **169–171**, *t* 170; electron configuration of, 107, *t* 110, 111; ionization energy of, *t* 145; metal compounds with, 258; oxidation number of, 216–217, *t* 591; properties of, 23, 137, **780**, *t* 782; reactions of, 781; in redox reactions, *t* 603, *t* 615  
 fluorite, **369**  
 fluorosis, 783  
 foam, 397, *t* 398  
 food additive(s), 676  
 Food Chemical Code (FCC) purity specifications, *t* 18  
 food preservative(s), 674  
 foods, self-heating, 525  
 force, pressure and, 308–312  
 formaldehyde, 174, 307, 666, 673  
 formic acid, 666  
 formula(s). *See* chemical formula(s)  
 formula unit(s), 176  
 fractional distillation, **644**  
 francium, **728**, *t* 730  
 Franklin, Rosalind, 680–681  
 free energy, 528–530, 546, 550–551  
 Freeman, Benny, 692  
 free radical(s), 778  
 freezing, 366, 379  
 freezing point(s), 379, 436–441, *t* 438, 443–447, 699

freezing point depression, *t* 438, 438–440, *t* 445, 447  
 Freon(s), 668  
 frequency, 91–94, **92**  
 Frisch, Otto, 721  
 fructose, 630, **763**  
 fruit, pH of, 486, **494**  
 Fuller, Buckminster, **628**  
 fullerene(s), 626, **628**  
 functional group(s), 663–679, *t* 679, 693

**G**

galactose, **763**  
 galena, **774**  
 gallium, **124**, **750**, 751, *t* 752, 768–769  
 galvanic cell(s) (voltaic cells), 607–614, **608**, **611**, 616–617, 620  
 gamma ray(s), 9, *t* 705, 707, **713**  
 garnet, **743**, *t* 744  
 gas(es): Avogadro's law of, **334–335**, 341, 356; Boyle's law of. *See* Boyle's law; Charles's law of, 316–319, 321, 326, 341, 356; in chemical equations, 245; from chemical reactions, 242, 262–263, 269, 566; combined gas law, 321–322, 326; effusion of, 306, 351–356; elastic collisions of, 303; Gay-Lussac's law of, 319–321, 326, 333–334, 341, 356; ideal behavior of, 303, 306, 326; ideal gas law, 339–341, 340–346, 356, 360; kinetic energy of, 351; kinetic-molecular theory of, 303–306, 313, 323, 326; pressure and, 308–315, 319–321, 340, 562–563; properties of, 12; real, 306; solubility of, **407–408**, 410, 419; stoichiometry of, 347–350; velocity of, 351–352; volume of. *See* gas volume; water displacement by, 324  
 gasohol, 665–666  
 gasoline, *t* 38, 406, 643, *t* 644  
 gastric juice(s), 457, 486, **494**, *t* 731  
 gas volume: Avogadro's law and, 334–335; Boyle's law and, **313**, 338–339; Charles's law and, *t* 317, **318**, *t* 318; combined gas law and, 321; ideal gas law and, 340–344; measuring, 333; molar vol-

umes, 335–337; overview of, 313–319; volume-mass relationships, 333–337, 348–350, 356; volume-volume relationships, 347–348, 356  
 Gay-Lussac's law, 319–321, 326, 333–334, 341, 356  
 Geiger, Hans, 72  
 Geiger-Müller counter(s), **714**, 722  
 gel(s), 398  
 gemstone(s), 743–744  
 gene(s), 680  
 geometric isomer(s), 632–633, 656  
 germanium, **124**, **754**, 755, *t* 755  
 glass, 368, 371, 513–514, 767  
 glucose, 282, 758, **763**, **764**  
 glycerol (1,2,3-propanetriol), 664–665, **765**  
 glycogen, **764**  
 glycolipid(s), 765  
 gold: activity series and, 266, *t* 266; in alloys, **397**; electron configuration of, 116; molar mass of, 83, 85; origin of symbol for, *t* 20; properties of, **22**, 57, *t* 513, *t* 743; in redox reactions, *t* 615; transmutation into, 9  
 Goodyear, Charles, 688  
 Graham, Thomas, 352  
 Graham's law of effusion, 351–356  
 graphite, 81, *t* 513, 626–**627**, 646  
 gravity, 35  
 ground-state, 105, 117  
 gunpowder, 736

**H**

Haber, Fritz, 561  
 Haber process for ammonia synthesis, 561, 562–564  
 hafnium, 138  
 Hahn, Otto, 720–721  
 half-cell(s), 607, 614–615, 617  
 half-life, *t* 708, 708–709, 716, 722, 725  
 half-reaction(s), 593–594, 597–601, 608–617, *t* 615  
 halogen(s), 137, 261–262, *t* 266, 666, 780–783  
 hardness scale, *t* 730, *t* 736, *t* 752, *t* 755, *t* 771, *t* 776  
 HDPE (high-density polyethylene), 686  
 heat. *See also* exothermic reaction(s), temperature; in chemical equations, *t* 246, 246–247; from chemical reactions, 241, 263, 269, **513**, 514–523, 546; Le Châtelier's principle and, 380; from redox reactions, 606; specific, 512–514, *t* 513  
 heat capacity, 512–514  
 heat energy, 512  
 heat of combustion, 518–519, 546  
 heat of formation, 517–518, 522–524, 546  
 heat of fusion, 380, 387  
 heat of reaction, **513**, 514–523, 546  
 heat of solution, 409–410, *t* 410, 419  
 heat of vaporization, 182, 379, 387  
 Heisenberg, Werner, 99  
 Heisenberg uncertainty principle, 99–100, 117  
 helium: discovery of, 109, 126; electron configuration of, **106**, 110, 132–133; ionization energy of, *t* 145; isotopes of, 77; nuclear fusion and, **719**; properties and uses of, 24, 54, 81–82, **193**  
 hematite, **740**  
 heme, 738, 749, **758**  
 hemoglobin: artificial blood and, 411; iron and, 749; respiration and, **758**, 760, *t* 760; structure of, **762**  
 Henry's law, 407  
 heptane, **645**  
 hertz, unit of, 92  
 Hess's law, 463, 519–520, 524  
 hexanediamine, 690  
 2-hexene, 650  
 high blood pressure, 733  
 high-density polyethylene (HDPE), 686  
 HIV (human immunodeficiency virus), 411  
 Hoffmann, Michael, 166  
 Hoffmann, Roald, 32  
 Holmes, Sherlock, 255  
 homogeneous mixture(s). *See* solution(s)  
 homologous series, 634  
 Hooke, Robert, 338  
 Hückel, Erich, 446  
 human immunodeficiency virus (HIV), 411  
 Hund's rule, 106, **107**, 110, 113, 117  
 hybridization of orbitals, 187–189, **188**, *t* 189, 195, 625–626, 656

hydrate(s), 227, 405  
hydration, **405**, 431  
hydrazine, 289  
hydride(s), 470–**472**, *t* 471, 735  
hydriodic acid, *t* 214, *t* 454,  
*t* 460, *t* 471. *See also* hydro-  
gen iodide  
hydrobromic acid, *t* 454, *t* 460,  
*t* 471, 554  
hydrocarbon(s), 630, 634–645,  
647–656  
hydrochloric acid. *See also*  
hydrogen chloride; formula  
of, 2, *t* 454; ionization and,  
431, *t* 460, 465, 470; neutral-  
ization of, **474**; pH of, 491,  
575; properties of, 457, 459,  
*t* 471  
hydrocyanic acid, 460, *t* 460  
hydrofluoric acid, 214, *t* 454,  
*t* 460, *t* 471, **781**. *See also*  
hydrogen fluoride  
hydrogen: activity series and,  
*t* 266, 266–267; Bohr model  
of, 96–97, 98; displacement  
reactions of, 261; electrodes,  
**614**–615, 617; electron con-  
figuration of, 110, 132–133,  
**183**; electronegativity of,  
163; formation of, 287, **324**,  
454, 729, 735, 751; ionization  
energy of, *t* 145; isotopes of,  
75–78, **76**, *t* 80, *t* 708; line-  
emission spectra of, 94–97,  
**95**; nuclear fusion and, **719**;  
properties of, *t* 190, 305, 368,  
*t* 471; in redox reactions,  
216–218, *t* 591, *t* 603, *t* 615  
hydrogenation, 633, 682–**683**  
hydrogen bonding: boiling  
point and, 664, 671; bond  
energy of, *t* 168; in cosmetics,  
665; in crystals, 371; forma-  
tion of, **165**, 167–169; in liq-  
uids, 365, 379; in nucleic acids,  
681, 766; overview of, 192,  
195; in water, 384–**385**, **406**  
hydrogen carbonate, *t* 471, 731,  
*t* 731  
hydrogen chloride. *See also*  
hydrochloric acid; in ammo-  
nia, 464; boiling point of,  
*t* 190; configuration of, **183**;  
as electrolyte, 399, **400**; for-  
mation of, 594; ionization of,  
431; molarity of, 414–415;  
properties of, *t* 190, *t* 410  
hydrogen cyanide, 166, *t* 460  
hydrogen fluoride, *t* 190, 192,  
289, 433. *See also* hydroflu-  
oric acid

hydrogen iodide. *See also*  
hydriodic acid; decomposi-  
tion of, **531**–532; formation  
of, **535**, 556–558, **557**, *t* 557;  
heat of formation of, 518;  
heat of solution of, *t* 410  
hydrogen peroxide, **540**, 596,  
604–605  
hydrogen sulfide, 172, *t* 190,  
258–259, **408**, *t* 471, *t* 603  
hydrolysis of salt(s), 572–576  
hydronium ion(s), 431, 447,  
460–461, 469–471, *t* 471,  
481–491  
hydrosulfuric acid, *t* 454, *t* 460,  
*t* 471  
hydroxide(s), 258–259, *t* 471,  
481–482, 776–777. *See also*  
individual compounds  
hydroxyl group(s), 473, 476, 664  
hygrothermograph(s), 220  
hyperchloremia, *t* 731  
hybernemia, *t* 731  
hypertension, 733  
hyperventilation, 759  
hypochlorite, *t* 471  
hypochlorous acid, *t* 214, *t* 455,  
*t* 471, **472**, 782  
hypotheses, formulating and  
testing, 30–**31**, 58

## I

ibuprofen, 225–226  
ice, *t* 38, **385**–386  
ideal gas constant, 342, *t* 342  
ideal gas law, 339–346, 356, 360  
indicator(s), acid-base, 454,  
**457**, 458, 493–498, **500**–**501**,  
504  
indium, *t* 114, **750**, 751, *t* 752,  
768  
infrared light, 91, **707**  
inorganic chemistry, 6  
insulator(s), **768**  
insulin, 761  
interference of waves, 98, 100  
intermolecular force(s), 189–  
193  
International Union of Pure  
and Applied Chemistry  
(IUPAC), 636, *t* 643, 666,  
669–670, 672–675, 677. *See*  
*also* nomenclature  
inverse proportion(s), 56–58  
iodide, *t* 471, **781**  
iodine: covalent bonds of, *t* 168;  
electron configuration of,  
*t* 114, 115; Mendeleev and,  
124; properties of, **23**, 137,

**780**, *t* 782; reactions of, 781;  
in redox reactions, *t* 219,  
*t* 603, *t* 615; solutions of, 418;  
sublimation of, 380  
iodomethane, 171–172  
ion-electron method, 597–601  
ionic bonding, 161–163, **162**,  
176–180, *t* 190  
ionic compound(s): binary,  
206–211, 234; chemical  
equations of, 253–254; dis-  
sociation of, 425–430, 447;  
ionic bonding and, 176–180,  
194; metal halogen, 258;  
nomenclature of, 210–211;  
properties of, 203; solubility  
of, 405, **427**, 577–584  
ionic crystal(s), **370**  
ionic liquid(s), 377  
ionic radii: of alkali metals,  
*t* 730; of alkaline earth met-  
als, *t* 736; of boron family ele-  
ments, *t* 752; of carbon family  
elements, *t* 755; of nitrogen  
family elements, *t* 771;  
overview of, **149**–150, 154; of  
oxygen family elements, *t* 776  
ionization constant(s), 482,  
*t* 482, 569–571, *t* 570, 573  
ionization energy: of alkali  
metals, *t* 730; of alkaline  
earth metals, *t* 736; of boron  
family elements, *t* 752; of  
carbon family elements,  
*t* 755; of *d*-block elements,  
154; first and second, 143–  
144, *t* 145; of nitrogen family  
elements, *t* 771; of oxygen  
family elements, *t* 776; of  
transition metals, *t* 743;  
trends in, **143**–146, **144**, *t* 730  
ionization in solution, 431, 447,  
481–484  
ion(s): electron transfer and,  
145, 148–149; interactions in  
solution, 446–447; monatom-  
ic, 204–205, 217, 234; nomen-  
clature of, 204–205, *t* 205;  
overview of, 143, 155, 204–  
205, 234; oxidation numbers  
of, 216–217; polyatomic, 180,  
186, 204, 209–211  
iron: activity series and, *t* 266;  
analysis of, **742**; in the body,  
749; in cast iron and steel,  
**745**, 756; dietary sources of,  
749; electron configuration  
of, *t* 112, 113, 114, 154; for-  
mation of, 296; in gemstones,  
743; origin of symbol for,  
*t* 20; oxides of, **257**, **740**;

properties of, 22, 81, 83,  
*t* 190, *t* 513, *t* 743; in redox  
reactions, *t* 603, *t* 615  
irone, **673**  
iron oxide(s), 601  
iron sulfate(s), **599**–601  
iron(III) thiocyanate, **582**  
isoamyl acetate, 676  
isomer(s), 630–633, 648, 656  
isoprene, 688–689  
isotope(s), 75–80, *t* 80. *See also*  
radioactive nuclide(s)

**J**

joule, *t* 36, 511–512

## K

Keipert, Peter, 411  
Kelvin temperature scale, *t* 34,  
58, 317–320, 512  
kerosene, *t* 38, 643, *t* 644  
ketone(s), 672–673, *t* 679, 693  
Kevlar, 691  
kidney(s), 759  
kinetic energy, 303–304, 326,  
378, **379**, 511–512  
kinetic-molecular theory: of  
gases, 303–306, 313, 323, 326;  
of liquids, 363–367; of mat-  
ter, 303–306, 313–323, 326,  
535; of solids, 367–369;  
vapor pressure and, 376–377  
kinetics of reactions, 538–545,  
547, 555–557  
Krebaum, Paul, 596  
Kroto, Harold W., 628  
krypton, **24**, 109, 126

## L

lactic acid, 453, *t* 675  
lactose, **763**  
lanthanide series of elements,  
**21**, 126, 138–139, *t* 147  
lanthanum, 115, 138  
laser(s), 7, 307  
latex, 688  
lattice energy, 178, *t* 179, 196  
laughing gas (nitrous oxide),  
287, 558–559  
Lavoisier, Antoine-Laurent,  
278–279, 479  
LCPs (liquid crystal poly-  
mers), 692  
LDPE (low-density polyethyl-  
ene), 686–687

- lead: in alloys, *t* 745; analysis of, 755; in batteries, 612, **613**; crystal, **754**; decay series and, 711; origin of symbol for, *t* 20; poisoning by, 268; properties of, 38, *t* 38, 84, *t* 513, **754**, *t* 755; reactions of, *t* 266, 266–267, *t* 603, *t* 615, 755
- lead(II) chromate, 248, *t* 579
- lead(II) iodide, 262
- lead(II) oxide(s), 208, 219
- Le Châtelier, Henri Louis, 374
- Le Châtelier's principle: heat and, 380; overview of, 374–375, 387; pressure and, 407; shifting equilibrium and, 562, 564, 567–568, 585
- length, units of, *t* 34, 35–36, 58
- Lewis acids and bases, 467–468, *t* 468, 476
- Lewis structure(s), 170–175, 180, 184–185, 187
- light: absorption of, 181; from chemical reactions, 241, 263, 269; dual wave/particle nature of, 93–94, 100, 117; infrared, 91, **707**; properties of, 91–93; scattering, 398, *t* 398, 419; sodium vapor, 730; speed of, 91, 93; ultraviolet, 91, 669, **707**; visible, 707
- limestone, 68, 492
- linoleic acid, **764**
- lipid(s), 764–765
- lipoprotein(s), 765
- liquid crystal polymer(s) (LCPs), 692
- liquid(s): in chemical equations, *t* 246; equilibria and, 563; kinetic-molecular theory of, 363–367; properties of, 12, 363–366, 377–379, 387; supercooled, 368
- lithium: activity series and, *t* 266; analysis of, **729**; electron configuration of, 110, *t* 110, 132; ionization energies of, 145, *t* 145; properties of, 81, 132, **728**, *t* 730; in redox reactions, *t* 615; as reducing agent, *t* 603, 614
- lithium carbonate, *t* 404, **408**
- lithium chloride, *t* 179, *t* 404, **405**, 409, *t* 410
- lithium sulfate, **408**
- litmus, **493**, **495**, 498. *See also* indicator(s), acid-base
- logarithm(s), 487–491
- London dispersion forces, 193, 195, 371, 406, 627, 643
- low-density polyethylene (LDPE), 686–687
- Lowry, T. M., 464
- luciferin, 630
- luminous intensity, *t* 34, 58
- lungs, respiration and, 759–760
- Lyman, Balmer, and Paschen series, 94, **95**, **97**
- lysine, 457

## M

- macromolecule(s), 761–766
- magic number(s), 703, 722
- magnesium: activity series and, *t* 266, 267; in alloys, *t* 745, *t* 753; in the body, 738–739; electron configuration of, *t* 111, *t* 170; in flares, 737; properties of, 78, **734**, **735**, *t* 736; in redox reactions, **257**, 284, *t* 603, *t* 615
- magnesium bromide, 206
- magnesium chloride, 252
- magnesium hydroxide, 453, *t* 579
- magnesium nitrate, 252
- magnesium sulfate, *t* 410, *t* 445
- magnetic quantum number(s), 102–104
- magnetite, 290
- main-group element(s), 136–138, 144, *t* 150, 154
- malachite, 22
- malic acid, 453, *t* 675
- malleability, 22, 182, 194
- Malthus, Thomas, 560–561
- manganese: activity series and, *t* 266, 267; in alloys, *t* 745, *t* 753; analysis of, **742**; in the body, 749; electron configuration of, *t* 112, 113, 115; properties of, 22; in redox reactions, *t* 603, *t* 615
- manganese(IV) oxide, **540**
- manometer(s), 311, 326
- marble, 40, **475**, 476, **734**
- Marsden, Ernest, 72
- mass: atomic, 78–80, *t* 80, 86; critical, 718; molar. *See* molar mass; moles and, 275–277, 282–285, 290–291; percentage, 226–228; as property of matter, 10; relationship to volume, **55**, *t* 55, 348–350; relative, 249; units of, *t* 34, 34–35, 58
- mass defect, 701–702, 722
- mass number, 76–78, *t* 80, 86
- matter: classification of, **15**–18; properties of, 10–11; states of, 12, 25, 247; theories of, 9, 65, 303–306, 313–323, 326, 535
- mayonnaise, 397–398
- McLandrich, Drew, 525
- medicine, radionuclides in, 715
- Meitner, Lise, 720–721
- melting point(s): of alkali metals, *t* 730; of alkaline earth metals, *t* 736; of boron family elements, *t* 752; of carbon compounds, *t* 632; of carbon family elements, *t* 755; of crystalline solids, *t* 370; of nitrogen family elements, *t* 771; overview of, 11–12, 368, 380, 387; of oxygen family elements, *t* 776; of transition metals, *t* 743
- Mendeleev, Dmitri, 123–125, **124**
- meniscus, 365
- mercaptan(s), 596
- mercury: activity series and, *t* 266; amalgam, **396**, **744**; batteries, **610**; columns of, 310, **311**, *t* 311, 338–339; density of, **38**, *t* 38, 40; electron configuration of, 134; formation of, **14**; origin of symbol for, 20; poisoning from, 747; properties of, 22, 81, *t* 513, *t* 743, 747; in redox reactions, *t* 603, *t* 615
- mercury fulminate, 518
- mercury oxide, **14**, 285, **553**–554
- metal(s): alkali, **132**, 728–733; alkaline earth, **132**, 734–739; bonding of, 181–182, *t* 190, 194; displacement reactions of, 261–262, 265; ductility of, 182, 194; hydroxides of, 258–259; ionization energy of, 144; noble, **740**; properties of, 11, 22, 25, 132–134, 137, 181–182; reactions with halogens, 258; transition, 134, 740–749
- metal carbonate(s), 260
- metal chlorate(s), 260
- metal hydroxide(s), 260
- metallic crystal(s), 370–371
- metalloids, 23–25, 137
- meter, *t* 34, **36**, 58
- methanal (formaldehyde), 174, 307, 666, 673
- methane: boiling point of, *t* 190, *t* 643; formation of, 298; heat of formation of, 520; structure of, **184**, *t* 186, 187, **188**, **625**, **635**; substitutions on, 682
- methanoic acid, 674, *t* 675
- methanol, 294, 296, 359, *t* 664, 666
- methionine, **761**
- methylamine, 677–678
- methylbenzene, 655
- methylmercury, **747**
- methyl orange, 494, **495**, 498
- methyl pentyl ether, 670
- 2-methylpropane, 630–631, *t* 632, **635**
- methyl propyl ether, 670
- methyl red, **498**
- methyl-*tertiary*-butyl ether (MTBE), 671
- mica, **767**
- microwave(s), 91, **707**
- milk, *t* 38, **395**, 486, 763
- milk of magnesia, 486. *See also* magnesium hydroxide
- Millikan, Robert A., 71
- miscibility, 406
- Mistry, Pravin, 646
- Mittasch, Alwin, 561
- mixture(s), **15**–16, 25, 395–400, 419
- model(s): for balancing equations, 264; Bohr's, 96–97, 98; construction of, 69; description of, 31; electron-sea, 181–182, 194; molecular compounds, **183**, **631**, **635**, **647**; nuclear shell, 703, 707
- moderator(s), fission and, 718
- Mohs' scale of hardness, *t* 730, *t* 736, *t* 752, *t* 755, *t* 771, *t* 776
- molal boiling-point constant(s), *t* 438, 441, 447
- molal freezing-point constant(s), *t* 438, 438–441, 447
- molality, 416–419
- molar heat of formation, 517–518, 522–524, 546
- molar heat of fusion, 380, 387
- molar heat of vaporization, 379, 387
- molarity, 412–415, 419, 499–504
- molar mass: calculations and, 82–83, 238, 277, 282–287, 291; of compounds, 222–223, **224**; as conversion factor, 224–226, 234, 276–277, 280–286, 299; Graham's law of effusion and, 351–355; ideal gas law and, 345–346; overview of, 81–82, 86; units of, *t* 36
- molar volume, *t* 36, 335–337
- molecular compound(s): binary, 211–213, 234; models of, **183**, **631**, **635**, **647**; polarity in, 183, 190–192; properties of, 179, 203; VSEPR theory and, 183–187

molecular formula(s), 164, 232–233  
molecular mass(es), 221  
molecule(s), 164, 170–172, 183–193  
mole(s). *See also* molar mass; calculations involving, **82**, 275–277, 280–287; ideal gas law and, 340–344; ratios, 276–277, 282–287, 295  
units of, *t* 34, 58, 81  
molybdenum, *t* 114, 749  
Monel alloy, **396**  
monomer(s), 685, 694  
monoprotic acid(s), 465, 476  
monosaccharide(s), **763**, **764**  
morphine, **678**  
Moseley, Henry, 125  
MTBE (methyl-*tertiary*-butyl ether), 671  
multiple proportions, law of, 66, 86  
myoglobin, 749

## N

Nagyvary, Joseph, **19**  
National Aeronautics and Space Administration (NASA), 307  
natural gas, 643  
neon: discovery of, 109; electron configuration of, *t* 110, 111, *t* 170; ionization energy of, *t* 145; light from, **94**; properties of, **24**, **75**  
neoprene, 689  
neptunium, 138, *t* 712  
Nernst, Walther, 561  
Nernst equation, 620–621  
net ionic equation(s), 429–430, 447  
network bonding, 175, 214  
neutralization reaction(s), 473–475, 497, 502–503, 567, 574–575  
neutron(s), 70, 73, *t* 74, 703  
newton, unit of, 309  
nickel: activity series and, 266, *t* 266; in alloys, *t* 745; analysis of, **742**; in the body, 749; electron configuration of, *t* 112, 113, 134; properties of, *t* 743; in redox reactions, *t* 603, *t* 615  
nickel(II) sulfide, 430  
nicotine, 678  
nitrate, 180, *t* 471, *t* 603  
nitric acid: formula of, *t* 214, *t* 455; manufacture of, 284–285, 297, 561; mercury and,

14; properties of, **456**–457, **459**, *t* 460, *t* 471  
nitride(s), 735  
nitrogen: compounds with oxygen, *t* 213, 521; covalent bonding of, *t* 170, **173**, *t* 173; electron configuration of, 107, *t* 110; fixation, 560; ionization energy of, *t* 145; noble gases and, 108–109; oxidation numbers for, *t* 219; plant growth and, 560–561, **772**–**773**, *t* 773; production of, *t* 779; properties of, 23, *t* 56, **57**, **770**, *t* 771; reactions of, 771  
nitrogen dioxide, 521, 564–**565**  
nitrogen family element(s), 770–773  
nitrogen fixation, **772**  
nitrous acid, *t* 214, *t* 455  
nitrous oxide, 287, 558–559  
Nobel Prize winner(s), 8, 109, 628, 681, 721  
noble gas(es): configuration of, 168; discovery of, 108–109; ideality of, 306; ionization energies of, 144; London forces and, 193; in the periodic table, **125**–126, 155; properties of, **24**–25, 128, 152  
noble gas notation, 111, 112, 114  
nomenclature: for acids, *t* 454, 454–455, *t* 455; for alkanes, *t* 636, 636–642, 656; for alkenes, 647–650; for alkynes, 651–652; for aromatic hydrocarbons, 653–655; for binary compounds, 206–213; for ions, 204–205, *t* 205, 209–210, *t* 210, 234; prefix system of, *t* 212, 219, 234; in redox reactions, *t* 602; Stock system of, 205, 208–209, 219, 234  
nonelectrolyte(s), **432**  
nonmetal(s), 23, 25, 136  
nonpolar covalent bonding, **162**, **163**  
nuclear binding energy, 701–702, 722  
nuclear chain reaction(s), 717–718  
nuclear fission, 715–719, 721–722  
nuclear force(s), 74, 86  
nuclear fusion, 715–716, 719, 722  
nuclear power plant(s), 718  
nuclear radiation, 705, 713–715  
nuclear reaction(s), 704

nuclear shell model, 703, 707  
nuclear waste, 715–716, 722  
nucleic acid(s), 680–681, 766  
nucleon(s), 701–703, 722  
nucleus, 70, 72–74, 86, 701–704, 722  
nuclide(s), 77, 701–702. *See also* radioactive nuclide(s)  
nylon, **690**–691, 694

## O

octane rating(s), **645**  
octet rule, 168–169, 184, 194  
oleic acid, **764**  
orbital notation, *t* 102, 102–104, *t* 104, 106, 187–188  
orbital quantum number(s), 101–104  
orbital(s): in carbon compounds, 625–626; covalent bonds and, 168; hybridization of, 187–189, **188**, *t* 189, 195, 625–626, 656  
organic chemistry: description of, 6, 656; nomenclature in, 663–664, 666, 670, 672–675, 677, 679; organic compounds, 460, 629–633  
osmium, 368, 561  
osmosis, 442–443  
osmotic pressure, 442–443  
osteoporosis, 738  
Ostwald process, 297  
oxidation and reduction, 591–617  
oxidation number(s): of alkali metals, *t* 730; of alkaline earth metals, *t* 736; in balancing equations, 247, *t* 591, 597–600; of boron family elements, *t* 752; of carbon family elements, *t* 755; of nitrogen family elements, *t* 771; of oxygen family elements, *t* 776; of transition metals, *t* 743; using, 216–219, 234, *t* 591, 591–592, 617  
oxide(s), 256–259, 729, 776–777, *t* 777  
oxidizing agent(s), 602–605, *t* 603, 614, 617  
oxyacetylene, **652**  
oxyacid(s), *t* 214, 455, *t* 455, 472  
oxyanion(s), 209–211, 214  
oxygen: compounds with nitrogen, *t* 213; covalent bonding of, *t* 170, *t* 173; discovery of, 259, **260**, 279; electron con-

figuration of, *t* 110, 111; flame test for, **775**; ionization energy of, *t* 145; isotopes of, *t* 80; oxidation number of, 216–218, *t* 591; polarity of, 191–**192**; production of, 324, *t* 779; properties of, 23, 78, *t* 190, 224–225, **774**, *t* 776; reactions of, 14, 279, 775; respiration and, 758–759; solubility of, *t* 404, **408**; structure of, **164**  
oxygen family element(s), 774–779  
Oxygent, 411  
oxyhemoglobin, 758  
ozone, 7, 175, **668**–669, 778

## P

palladium, *t* 114, 134  
palmitic acid, **764**  
paper chromatography, **16**, **365**  
paraffin wax, 383, **643**  
partial pressure(s), 322–326, 334, 563  
particle accelerator(s), **711**  
Pascal, Blaise, 311  
pascal, unit of, 36–37, 311, *t* 311  
Paschen series, 95, **97**  
Pauli exclusion principle, **106**, 108, 117  
Pauling, Linus, 151, 680  
Pauling scale of electronegativity, **151**  
pectinase, 19  
pennies, density of, 39  
pentane, 523–524, *t* 643, *t* 671  
3-pentanone, 673  
pepsin, 763  
percentage composition, 226–228, 234  
percent error, 45, 58  
percent yield, 293–295  
perchloric acid, *t* 214, *t* 455, *t* 460, 470–471, *t* 471, **472**  
perfluorocarbon(s), 411  
peridot, **743**, *t* 744  
periodicity, 126  
periodic law, 125  
periodic table of atomic radii, **141**  
periodic table of the electronegativities, **151**  
periodic table of the elements, 123–159; blocks in, **129**, 132–134, 153–155; chart of, **21**, **130**–**131**; design of, 127, 158–159; electron configurations and, 128–139, 140–154; histo-



- ry of, 123–127; of Mendeleev, **124**; modern, 125–127; overview of, 20–21, 25, 155
- pesticide(s), 166
- PET (polyethylene terephthalate), 691
- petroleum, 643–645, **644**
- pH: of blood, 759; buffers, 570–571; calculation of, 487–491; of common materials, 268, *t* 486, **572**; concept of, 481–491; enzymes and, 763; indicators, acid-base, 454, **457**, 458, 493–498, **500–501**, 504; measurement of, 493–503, **494**, **500–501**; neutralization curves, **574**, **575**; scale, 485–486
- phase-change material(s), 383
- phase diagram(s), **381–382**
- phenolphthalein, **482**, 494, **495**, 498, **500–501**
- phenol red, **495**
- phenylalanine, **761**
- phenylisocyanide, 255
- pheromone(s), 633
- phlogiston, 278–279
- phosphate ion, 180, *t* 471
- phosphine, 192
- phospholipid(s), **765**
- phosphoric acid: formula for, *t* 214, **455**; ionization and strength of, *t* 460, 466–467, *t* 471; production of, *t* 779; properties and uses of, **453**, 457; structure of, **455**
- phosphorus: compounds with oxygen, 231–232; electron configuration of, *t* 111; isotopes of, 78, *t* 708; oxidation numbers for, *t* 219; plant growth and, **30**, **773**, *t* **773**, **779**; properties of, **23**, **770**, *t* **771**; reactions of, **771**; in semiconductors, 768–769; white, **770**
- phosphorus pentachloride, *t* 186, 219
- phosphorus trichloride, *t* 190, 219
- photochemical reaction(s), 220
- photoelectric effect, **93–94**
- photon(s), **95**, 96, 117
- photosynthesis, 282–283, 757
- physical chemistry, 6
- physical properties, 11–12, 25
- picometer, 74
- pitchblende, 8
- Planck, Max, 93
- Planck's constant, 93
- plastic(s), 50, 220, 457, 685–692, **686**, 694
- platinum, 134, 139, *t* 266
- Plexiglas UF-3, 220
- poison dart frog(s), **678**
- polar covalent bonding, **162**, **163**
- polarity: acid strength and, **473**; dipole-dipole forces, 190–192, 195, 371; ideal gases and, 306; in molecular compounds, 183, 190–192; solvent properties and, 404–406; of water, **191–192**
- pollution detector(s), 43
- polonium: discovery of, 8, 705; half-life of, *t* 708; properties of, **774**, *t* 776; reactions of, 704, 775
- polyamide polymer(s), 691, 694
- polyatomic ion(s), 180, 194, 204, 209–210, 251, *t* 591
- polyester(s), 691, 694
- polyethylene (polythene), **686–687**, 691, 694
- polyethylene terephthalate (PET), 691
- polymer(s), 685–691, 694
- polyprotic acid(s), 465–467, 476
- polysaccharide(s), 763–764
- polystyrene, 687, *t* 687
- polyvinyl acetate (PVA), 674, *t* 687
- porous barrier(s) in electrochemical cells, 607
- positron(s), *t* 705, 706–707
- potassium: analysis of, **729**; in the body, *t* 731, 731–**732**; electron configuration of, 112, *t* 112; origin of symbol for, *t* 20; plant growth and, 773, *t* 773; properties of, **728**, 729, *t* 730; radioactive nuclides of, *t* 708; reactivity of, **132**, 265, *t* 266, 729; in redox reactions, *t* 603, *t* 615
- potassium carbonate, 268
- potassium chlorate, 222, 260, 282, 324, *t* 410
- potassium chloride: freezing-point depression and, *t* 445, 446; heat of solution of, *t* 410; lattice energy of, *t* 179, 196; solubility of, *t* 404, **408**
- potassium hydroxide, *t* 410, *t* 461, 491
- potassium iodide, *t* 404, 409, *t* 410, 601
- potassium nitrate, *t* 404, **408**, 409, *t* 410, 601
- potassium permanganate, **599–601**
- potential energy in bonds, **165**, 167, **177**, 194
- precipitate(s): in chemical equations, 245, *t* 246, 248, 430; from chemical reactions, **242**, **262**, 269, 447; equilibrium and, 566; solubility and, 427–429, 582–584
- precision, **44–46**, 58
- pressure: in chemical equations, *t* 246; chemical equilibrium and, 562–563; critical, 382; force and, 308–312; gases and, 308–315, 319–321, 340–344, 360, 562–563; measurement of, 310–311; partial, 322–326, 334, 563; relationship to volume, *t* 56, **57**, **313–315**, *t* 314; solubility and, 407; standard, 312; units of, 36–37, 311
- Priestley, Joseph, 259, 279, 285
- principal quantum number(s), **101–102**, *t* 104
- products in chemical equations, 13, 241–250
- propane, 347–348, 634, **635**, *t* 643, *t* 664
- 1,2-propanediol, 664
- 1,2,3-propanetriol, 664–**665**, **765**
- propanoic acid, 674
- propanone, 673
- properties, physical, 10–12, 25, 367–371, 387, 399, 443–447
- proportional relationship(s), *t* 55, 55–58
- protein(s), 684, **761–763**
- protium (hydrogen-1), 76–77, *t* 80
- proton(s), 70, 73, *t* 74, 464–471, 702–**703**
- pure substance(s), 17–18
- putrescine, 678
- pyrite, **774**
- pyrotechnics, **736–737**
- quartz, 289, 370, **371**, **754**
- quicklime (calcium oxide), *t* 179, 258, 294, *t* 779

## R

- radioactive dating, 715
- radioactive decay, 705–712, 722, 725
- radioactive nuclide(s), 705–712, **708**, 715, 720, 722, 740
- radioactive tracer(s), 715
- radioactive waste, 716
- radioactivity, discovery of, 8–9
- radio wave(s), 91, **707**
- radium, 8, 705, **708**, **734**, *t* 736
- radon, 109, 126, 714
- rain water, 259, 486, 492, 496
- Ramsay, William, **108–109**, 125–126
- raspberry ketone, **673**
- rate-determining step, 543–544
- rate law(s), 541–546
- Rayleigh, Lord, **108–109**, 125
- reactant(s): in chemical equations, 13, 241–250; excess, 288, 290–291, 294; limiting, 288–295; purity of, **18**
- reaction(s). *See* chemical reaction(s)
- reaction stoichiometry, 275–299
- reactor(s), nuclear, 715–716
- reagent(s), purity standard for, **18**, description of, 11
- rechargeable cell(s), 612–613
- redox reaction(s), 591–617
- reducing agent(s), 602–605, *t* 603, 614, 617
- reduction potential(s), 613–615, *t* 615
- reduction processes, 593–595
- reference electrode(s), **614**
- relative atomic mass(es), 78–79
- rem (roentgen equivalent man), 713
- resonance structure(s), 175, 194
- respiration, 328, 758–759
- rhodonite, **369**
- ribonucleic acid (RNA), 766
- rocket propellant, 289
- roentgen(s), 713
- rounding, 48, *t* 48, 58
- rubber, natural and synthetic, 688–689, 694
- rubidium: activity series and, *t* 266; analysis of, **729**; electron configuration of, *t* 114, 116; oxidation of, 257; properties of, **728**, 729, *t* 730

## Q

- qualitative analysis, 742, 771
- quantitative data, 29, 33
- quantum number(s), 101–104, *t* 102, 117, 121
- quantum theory, 94, 98–104, 117

ruby, **743**–744, *t* 744  
rust, 601  
Rutherford, Daniel, 278–279  
Rutherford, Ernest, 9, 72–**73**,  
86, 91, 97, 125



saliva, 486  
salt(s): chemical equilibrium  
of, 569–576; formation of,  
454, 458, 474–475, 476, 729,  
735; hydrolysis of, 572–576;  
overview of, 215; qualitative  
analysis of, 742  
salt water, **395**. *See also* sea  
water  
Salyer, Ival, 383  
samarium, 139  
sample problems, how to  
solve, 52–54  
sapphire, **743**, *t* 744  
saturated hydrocarbon(s),  
634–645, 656  
saturation of solutions, **403**  
SBR (styrene-butadiene  
rubber), 689  
scandium, *t* 112, 113, **124**, **134**,  
*t* 182  
scanning electron microgra-  
phy, **5**, **368**  
Schrödinger, Erwin, 99  
Schrödinger wave equation,  
99–101, 117  
Schryer, David, 307  
scientific method, 29–31, 58  
scientific notation, 50–52, 58  
scientific theories, 58, 67, 86  
scintillation counter(s), 714,  
722  
Seaborg, Glenn, 159  
sea water, *t* 38, 315, 486  
second(s), *t* 34, 58  
selenium, **23**, **774**, 775, *t* 776  
semiconductor(s), 24, 137,  
**768**–769  
semipermeable membrane(s),  
442  
SHE (standard hydrogen elec-  
trode), **614**–615, 617  
shielding of radiation, 718, 722  
sickle-cell anemia, 762  
significant figure(s), 46–54,  
*t* 47, 58, 487  
silicate mineral(s), **767**  
silicon: in alloys, *t* 753; com-  
pounds of, 214, **754**; electron  
configuration of, *t* 111; prop-  
erties of, **754**, *t* 755; reactions  
of, 755

silicon carbide, 370  
silicone(s), **767**  
silver: activity series and, *t* 266,  
267; in alloys, 396, *t* 745, **746**;  
electron configuration of,  
*t* 114; electroplating of, **612**;  
origin of symbol for, *t* 20, 84;  
properties of, *t* 743; in redox  
reactions, *t* 603, *t* 615  
silver acetate, *t* 579, 581–582  
silver chloride, 432–433, **566**,  
577–578, *t* 579  
silver chromate, 415  
silver nitrate, *t* 404, *t* 410, 420–  
421, 781  
silver thiocyanate, **582**  
Simmons, Ken, 492  
single bond(s), 171, 194  
single-replacement reaction(s),  
261–262, 265, 269  
SI units (*Le Système*  
*International d'Unités*), 33–  
38, *t* 34, *t* 35, 58  
skatole, 678  
skunk spray, 596  
Smalley, Richard E., 628  
smog, *t* 398, 778  
Soddy, Frederick, 9  
sodium: analysis of, **729**, 730; in  
the body, *t* 731, 731–733, **732**;  
compounds, 427; crystal lat-  
tice of, **181**; electron configu-  
ration of, 111, *t* 111, 132, *t* 170;  
origin of symbol for, *t* 20;  
properties of, **728**, 729, *t* 730;  
reactivity of, 265, *t* 266, 729; in  
redox reactions, *t* 603, *t* 615  
sodium acetate, **572**, 575  
sodium bicarbonate (sodium  
hydrogen carbonate), **453**  
sodium carbonate, 427, 573, 582  
sodium carbonate deca-  
hydrate, 227–228  
sodium chloride: formation of,  
**474**, **592**; ionic bonding in,  
176–**178**, **177**; lattice energy  
of, *t* 179, 196; pH of, **572**;  
properties of, *t* 190, *t* 404,  
**408**, 409, *t* 410; in solution,  
399, **400**, 403, 414, **425**–426  
sodium chromate, 248  
sodium hydrogen carbonate  
(baking soda), **453**, **494**  
sodium hydroxide: decomposi-  
tion of, *t* 461; dissociation of,  
461; formation of, 247, 272,  
*t* 779; heat of solution of,  
*t* 410; neutralization of, **474**;  
pH of, 574–575; uses of, **453**;  
sodium nitrate, *t* 404, **408**,  
*t* 410, 560

sodium sulfate, 583–584  
sodium sulfide, 252, 426  
sodium vapor lighting, 730  
solid(s), 12, 366, 367–371, 387,  
396, 563  
sol(s), 398  
solubility: of alcohols, 665,  
*t* 665; calculation of, 581–  
582; equilibrium, 577–584;  
of gases, **407**–**408**, 410, 419;  
guidelines, 404, *t* 404, *t* 427;  
overview of, 395, 402–404,  
419; pressure and, 407; prod-  
uct, 577–585, *t* 579; tempera-  
ture and, **408**–409, 419  
solubility-product constant(s),  
578–585, *t* 579  
solute(s): electrolytes, 399–  
400; interactions with sol-  
vent, 404–409; overview of,  
**396**, 419; surface area of,  
401; temperature and, **408**;  
vapor-pressure and, 436–437  
solution(s), 394–423: in chemi-  
cal equations, *t* 246, 247;  
concentration of, 412–418;  
description of, 16; dissolu-  
tion process, 401–410. *See*  
*also* dissolution; equilibrium  
in, **402**; overview of, 395–  
397; pH of, 481–491; prop-  
erties of, *t* 398, 399, 409–410,  
436–437, **442**–443; satura-  
tion in, **403**; solid, 396; stan-  
dard, 499–503  
solvation, 409  
solvent(s): overview of, **396**,  
419; polarity of, 404–**406**, 671;  
solute interactions with, 404–  
409; temperature of, 401–403;  
vapor pressure of, **436**  
sorbic acid, **453**, 674  
specific heat, 512–514, *t* 513  
spectator ion(s), 429, 447,  
475  
spinel, 744, *t* 744  
spin quantum number(s), 104  
stalactite(s), **552**  
standard electrode potential(s),  
614–615, *t* 615, 617  
standard hydrogen electrode(s)  
(SHE), **614**–615, 617  
standard molar entropy, 527  
standard molar volume, 335,  
356. *See also* molar volume  
standard reduction  
potential(s), *t* 615, 616  
standard solution(s) for titra-  
tions, 499–503  
standard state(s), 518–519,  
528, 546

standard temperature and  
pressure (STP), 312, 326  
stannous fluoride, 286  
starch, **764**  
state(s) of matter, 12, 25, 247  
Stedman, Donald, 43  
steel, 745, 756  
sterling silver, 396, *t* 745, **746**  
Stock system of nomenclature,  
205, 208–209  
stoichiometry, 274–299, 347–  
350  
STP (standard temperature  
and pressure), 312, 326  
Stradivari, Antonio, 19  
Strassman, Fritz, 720–721  
stream(s), liming, 492  
strontium: activity series and,  
*t* 266; electron configuration  
of, *t* 114; flame test for, **735**,  
737; properties of, **734**, 735,  
*t* 736  
strontium chloride, 737  
structural formula(s), 171,  
630–631, 635, 640–641, 656  
structural isomer(s), 631–632,  
656  
Strutt, John William (Lord  
Rayleigh), **108**–109, 125  
styrene-butadiene rubber  
(SBR), 689  
subatomic particle(s), 70  
sublimation, 380–381  
substitution reaction(s), 682,  
693  
sucrose: boiling points and,  
441, 443; breakdown of, **17**,  
18; dehydration of, **684**; den-  
sity of, *t* 38; freezing points  
and, 439, 443; osmotic pres-  
sure and, **442**; solubility of,  
*t* 404; in solution, 417; struc-  
ture of, **10**, **164**, **763**; vapor-  
pressure and, 437  
sugar(s). *See also* sucrose; clas-  
sification of, 11; properties  
of, **400**, 404; structure of,  
**763**, **764**; in urine, **11**  
sulfate ion, 180, *t* 471  
sulfur: electron configuration  
of, *t* 111; flame test for, **775**;  
mercury and, 14; molar mass  
of, 85; oxidation numbers  
for, *t* 219; properties of, **23**,  
**163**, **774**, **775**, *t* 776; reactions  
of, 256–257, *t* 615, 775; struc-  
ture of, **775**  
sulfur dioxide, 219, **408**  
sulfuric acid: in batteries, 612–  
**613**; decomposition of, 260;  
formula of, *t* 214, **455**; ioniza-

tion of, *t* 460, 465–466, 471–472; production of, 779, *t* 779; in redox reactions, *t* 603; strength of, *t* 471; structure of, **455**; uses of, 456, **779**  
sulfurous acid, *t* 214, *t* 455, *t* 460, 555  
sulfur trioxide, 219, 475  
supercooled liquid(s), 368  
super corrosion, 525  
superoxide(s), 729  
supersaturation, 403  
surface area, 401, 538–539, 546  
surface tension, **365**  
suspension(s), 397, *t* 398, 399, 419  
syngas, 529  
synthesis reaction(s), 256–259, 269  
system(s), 29–30

## T

tartaric acid, 453  
technetium, *t* 114, 715  
Teflon, 6–7, **669**  
tellurium, *t* 114, 124, **774**, 775, *t* 776  
temperature: activation energy and, 535; in chemical equations, *t* 246; critical, 381; effect on dissolution, 401–403, *t* 404, **408**–409, 584; equilibrium and, 374–375, 564–565; of gases, 304, 316–321, *t* 317, *t* 318, 340–344; ionization of water and, 482, *t* 482; measurement of, 511–512; reaction rate and, 539; standard, 312; units of, *t* 34, 58  
tensile strength, 22  
tetraethyl lead, 671  
tetrafluoroethene (Teflon), **669**  
thallium, **750**, 751, *t* 752  
theoretical chemistry, 6  
theorizing, **31**, 58  
theory of matter, 9, 303–306, 313–323, 326, 535  
thermal conductivity, 22, 194, 627, 646, 753  
thermite, **751**  
thermochemistry, 511–524, 546  
thermoplastic polymer(s), 685, 694  
Thomson, Joseph John, 71  
thorium, 9, 138, 705, 710–711  
time, units of, *t* 34, 58

tin: in alloys, *t* 745; analysis of, 755; electron configuration of, *t* 114, 115; isotopes of, 76; origin of symbol for, *t* 20; properties of, **754**, *t* 755; reactions of, *t* 266, 267, *t* 603, *t* 615, 755  
tin(II) fluoride, 286  
tin(IV) sulfate, 211  
titanium, *t* 112, 113, 135, 743  
titration(s), 497–503, **500**–**501**, 506–507, **574**, **575**  
TNT, 166  
toluene, 405, **406**  
tooth decay and fluoridation, 783  
Torricelli, Evangelista, 310, **311**, 338  
tourmaline, 744  
*trans* isomer(s), 632–633, 648  
transition interval of pH indicators, 494  
transition metal(s), 134, 740–749  
transmutation(s), 8–9, 704, 706, 711–712, 720, 722  
transuranium element(s), 712, *t* 712, 720, 722  
Travers, Morris, 109  
trichlorofluoromethane (Freon-11), 668  
trichloromethane (chloroform), 255, 682  
triglyceride(s), **765**  
trimethylamine, 677  
2,2,4-trimethylpentane, **645**  
triple bond(s), 173, 626, 651  
triple point of water, *t* 34, **381**  
triprotic acid(s), 466–467, 476  
tritium, 76–77, *t* 708  
tungsten, *t* 20, 22, 113, 134, *t* 190, 349–350  
Tyndall effect, 398

## U

ultrasound, 166  
ultraviolet light, 91, 669, **707**  
unit cell(s) of crystals, 369  
United States Department of Energy, 716  
United States Pharmacopoeia (USP), 18  
unit(s) of measurement, 33–43; conversion of, 40–42, 58; prefixes, *t* 35; SI, 33–38, *t* 34, *t* 35, 58  
unsaturated hydrocarbon(s), 647–656

unshared pair(s), 171, 185–187  
uranium: as catalyst, 561; decay of, **9**, **710**, 720–721; discovery of, 705; isotopes of, 77, *t* 80, 354, *t* 708; nuclear fission and, 258, **717**–718; oxidation number of, 217–218; radiation from, 8–9

## V

vacuum evaporator(s), 378  
valence electron(s), 169–170, *t* 170, 172, 174  
valence-shell, electron-pair repulsion (VSEPR) theory, 183–187, 195  
vanadium, *t* 112, 113, 134, 743, 749  
van der Waals, Johannes, 306  
van Guericke, Otto, 338  
vanillin, **673**  
vaporization, 182, *t* 182, 365–366, 379, 385–387  
vapor pressure: boiling points and, 378, 387, 440; calculation of, 390; kinetic-molecular theory and, 376–377; lowering of, 436–**437**, 447; of water, 324  
Verneuil, Auguste, 743–744  
vinegar, 453, 457, 486  
violin(s), 19  
vitamin(s), **762**  
volatility, 377, 436–**437**  
volcanic eruption(s), 478  
Volta, Alessandro, 434  
voltaic cell(s), 607–614, **608**, **611**, 616–617, 620  
voltaic pile(s), 434  
volt(s), 613  
volume: of gases. *See* gas volume; molar, *t* 36, 335–337; of a sphere, 61; units of, *t* 36, 36–**37**, 54  
VSEPR theory, 183–187, 195  
vulcanization, 688, **689**

## W

water: acid/base properties of, 464, *t* 471, 472, 486; boiling point of, 11, **12**, *t* 190; chlorination of, **782**–783; composition of, 17; compressibility of, 364; critical temperature of, 381; decomposition of, **17**,

**250**, 259; density of, **38**, *t* 38, 385; diffusion of, **364**; drinking, 258, 268, 782–783; fluoridation of, 783; formation of, **263**, 534; ionization constant of, 482, *t* 482, 571; molar heat of fusion of, 385–386; molar heat of vaporization of, 385–386; phase diagram for, **381**; polarity of, **191**–**192**; purification of, 253; replacement reactions and, 265–266; self-ionization of, 481–482, 504; specific heat of, *t* 513; structure of, **164**, **185**, *t* 186, **188**, 384–385, 388; sublimation of, 380–381; triple point of, *t* 34, **381**; vapor pressure of, **377**  
Watson, James D., 680–681  
wave function(s), 100  
wavelength, 91–93, **92**  
wave properties, 91–93, 98–100  
weight, 35, 58  
Whetstone Brook, 492  
Wilkins, Maurice, 680–681  
wolfram, *t* 20. *See also* tungsten

## X

xenon, **24**, 109, *t* 114, 126  
X-ray diffraction, 6, 680  
X ray(s), 5, 91, **707**

## Y

yield, theoretical, 293–295  
Yucca Mountain, 716

## Z

zero, as significant figure, *t* 47  
zinc: in alloys, *t* 745, *t* 753; analysis of, **742**; in batteries, 609; in the body, 749; electron configuration of, *t* 112, 113; properties of, *t* 743; reactions of, 265–267, *t* 266, **741**; redox reactions of, **603**, *t* 603, **606**–611, **608**, 613–615; reduction potential of, *t* 615  
zinc chloride, 251–252, 538–539  
zinc iodide, 207  
zinc sulfide, 207, 291, *t* 579

**Abbreviated as follows: (bkgd) background; (t) top; (b) bottom; (l) left; (r) right; (c) center.**

**Art Credits: All art, unless otherwise noted, by Holt, Rinehart & Winston.**

**Acknowledgments:** Page iii (br), Stephen Durke/Dick Washington; iii (cr), J/B Woolsey Associates, Inc.; iv (bl), Paul Thiessen. **Table of Contents:** Page vi (bl), vii (bl), J/B Woolsey Associates, Inc. **Chapter 1:** Page 10 (bl), J/B Woolsey Associates, Inc. **Chapter 2:** Page 44 (b), David Uhl Studio. **Chapter 3:** Page 70 (bl), 71 (tr), 72 (bl, br), David Uhl Studio. **Chapter 4:** Page 92 (br), Stephen Durke/Dick Washington, 93 (cr), 95 (t), 100 (c), David Uhl Studio; 102 (b), 103 (t, b), J/B Woolsey Associates, Inc. **Chapter 6:** Page 183 (cr), 184 (tl), 185 (b), 188 (b), 189 (c), 191 (cl, t, bl), 192 (t), J/B Woolsey Associates, Inc. **Unit 4:** Page 300 (b), J/B Woolsey Associates, Inc. **Chapter 10:** Page 306 (tl), 310 (l), David Uhl Studio. **Chapter 11:** Page 352 (tc), Kristy Sprott/Umlaut. **Chapter 12:** Page 371 (tr), J/B Woolsey Associates, Inc.; 373 (tl, tc, tr), 376 (tl, tr, cl, cr), Stephen Durke/Dick Washington. **Chapter 13:** Page 401 (bl, bc), 403 (tl, tc), 409 (b), Stephen Durke/Dick Washington; 411 (tr), J/B Woolsey Associates, Inc. **Chapter 14:** Page 425 (bl), 432 (tl, tr, cl, cr), 443 (bl, bc, br), Stephen Durke/Dick Washington. **Chapter 16:** Page 499 (tl, tr), Stephen Durke/Dick Washington. **Chapter 17:** Page 519 (tl), 525 (c), David Uhl Studio. **Chapter 18:** Page 560 (c), David Uhl Studio; 563 (r), Stephen Durke/Dick Washington. **Chapter 19:** Page 604 (c), 607 (t), 608 (tc), 611 (tr), 612 (tr), 614 (bc, br, tl), 620 (cr), David Uhl Studio; 623 (cr), J/B Woolsey Associates, Inc. **Chapter 20:** Page 624 (c), Paul Thiessen; 625 (bl, br), 626 (bl, t, c), 627 (cr), 628 (tc), 631 (tc), 632 (bl), J/B Woolsey Associates, Inc.; 644 (br), David Uhl Studio; 647 (b), 653 (tr), J/B Woolsey Associates, Inc. **Chapter 21:** Page 681 (c), Morgan Cain & Associates. **Chapter 22:** Page 713 (bl), 718 (b), David Uhl Studio. **Elements Handbook** Page 732 (c), Morgan Cain & Associates; 747 (b), David Uhl Studio; 753 (tr), 756 (br), 757 (b), David Uhl Studio; 758 (bl, bc, br), 759 (bl), Morgan Cain & Associates; 765 (t), Claire Booth; 766 (b), Morgan Cain & Associates; 767 (cl, cr), 775 (tr), J/B Woolsey Associates, Inc. **Laboratory Experiments:** Page 795 (bl, br), 796 (bl, br), 821 (tl), 823 (bl), 825 (t), 826 (t, bl), David Uhl Studio; 833 (tl), J/B Woolsey Associates, Inc.; 841 (tl), 858 (br), 859 (bl, tr), 861 (cr), 879 (tl, tr, cr, br), 885 (tr), 886 (tl), 889 (tr), David Uhl Studio.

**Photo Credits: All photos, unless otherwise noted, by HRW Staff Photographer, Sam Dudgeon. Acknowledgments:** Page ii, Frank Rossotto/The Stock Market; v, Richard Megna/Fundamental Photos. **Table**

**of Contents:** Page vi (t), Irving Geis/Science Source/Photo Researchers; vi (cr), Lawrence Berkeley Laboratory/Science Source/Photo Researchers; vii, Alfred Pasieka/Science Photo Library/Photo Researchers; viii (t), Phil Degginger/Bruce Coleman; viii (br), Richard Megna/Fundamental Photographs; ix (tl), Irving Shapiro/The Stock Shop/Medichrome; ix (br) Breck P. Kent/Animals Animals; x (tl), Stephen Simpson/FPG International; x (bc, br), Richard Megna/Fundamental Photographs; xi (tr), Paul Chesley/Tony Stone Images; xii (t), David Parker/Science Photo Library/Photo Researchers; xii (b), Los Alamos National Laboratory; xiii (t) Tom Pantages. **Unit 1:** (bkgd/all Unit, Lab & Handbook openers), Ryoichi Utsumi/Photonica; Page 2-3 (c), Ed Bock/The Stock Market; 2 (tr), Peticolas/Megna/Fundamental Photographs; 2 (br), Howard L. Garrett/Rainbow; 3 (br), William Huber/Photonica; 3 (cr), D. Arky/Premium/Westlight. **Chapter 1:** (bkgd/all Chapter Openers), Yoav Levy/PhotoTake; Page 4, Irving Geis/Science Source/Photo Researchers; 5 (r), Volker Steger/Peter Arnold; 7, Jon Feingersh/The Stock Market; 8, Giraudon/Art Resource, NY; 17 (l), Tom Pantages; 19, James Lyle/Texas A&M University; 22 (c), Bruce Iverson; 24, Brad Simmons/Bruce Coleman. **Chapter 2:** Page 28, Lawrence Berkeley Laboratory/Science Source/Photo Researchers; 32, AP/Wide World Photos; 43, Dr. Donald Stedman & Peter Popp/University of Denver, Department of Chemistry. **Unit 2:** Page 62-63 (c), Tony Stone Images; 62 (br), IBM, Almaden Research Center/Peter Arnold; 63 (bl), Manfred Kage/Peter Arnold; 63 (br), Ken Eward/BioGrafx/Science Source/Photo Researchers. **Chapter 3:** Page 64, M.R. Ghadiri & D. McRee/The Scripps Research Institute; 66, Barry L. Runk/Grant Heilman Photography. **Chapter 4:** Page 90, E.R. Degginger/Color-Pic; 94, Superstock; 99 (l), Margot Bergman/Polytechnic Institute of Brooklyn; 99 (r), Courmont/Springer-Verlag; 108, Reprinted with permission from Nature (No. 1196, Vol. 46) Copyright 1892 Macmillan Magazines Limited; 109, American Institute of Physics, Niels Bohr Library, W.F. Meggers Collection. **Chapter 5:** Page 122, Courtesy of Theodor Benfey, American Chemical Society & Instruments for Research and Industry; 123, Kitagawa/Superstock; 132 (bl), E.R. Degginger/Color-Pic; 132 (br), Breck P. Kent/Animals Animals; 134 (l), Alfred Pasieka/Peter Arnold; 137 (l, cl), E.R. Degginger/Color-Pic; 137 (cr, r), Larry Stepanowicz. **Chapter 6:** Page 160, Alfred Pasieka/Science Photo Library/Photo

Researchers; 176, Bruce Iverson; 182, 192, Photri. **Unit 3:** Page 201 (bl), Anthony Edgeworth/The Stock Market. **Chapter 7:** Page 202, Phil Degginger/Bruce Coleman; 220, Dan McCoy/Rainbow. **Chapter 8:** Page 240, Bob Burch/Bruce Coleman; 252, L.S. Stepanowicz/Visuals Unlimited. **Chapter 9:** Page 274, Richard Megna/Fundamental Photographs. **Unit 4:** Page 300-301 (c), Peter French/Pacific Stock; 301 (br), George Whiteley/Photo Researchers; 301 (cr), Breck P. Kent/Animals Animals. **Chapter 10:** Page 302, Irving Shapiro/The Stock Shop/Medichrome; 309, NASA/SIPA Press. **Chapter 11:** Page 332, Charles D. Winters/Photo Researchers, The National Audubon Society Collection; 338, Corbis/Bettmann Archive; 339 (t), James Schwabel/Panoramic Images; 339 (b), Leo L. Larson/Panoramic Images. **Chapter 12:** Page 362, Icicle Star Burst by Andy Goldsworthy. Icicles/thick ends dipped in snow then water/held until frozen together occasionally using forked sticks as support until stuck/a tense moment when taking them away/breathing on the stick first to release. Scaurwater, Dumfriesshire 12 January 1987. Courtesy of the artist and Galerie Lelong, New York; 365 (t), The Harold E. Edgerton 1992 Press, Courtesy of Palm Press; 366, E.R. Degginger/Color-Pic; 367 (br), William Huber/Photonica; 368, Dr. Dennis Kunkel/PhotoTake; 369 (tl, tc), Breck P. Kent/Animals Animals; 369 (tr, cl), Karl Hartmann/Sachs/PhotoTake; 369 (c, cr, br), Breck P. Kent/Animals Animals; 371, E.R. Degginger/Color-Pic; 383, Joanna McCarthy/Image Bank. **Unit 5:** Page 392-393 (c), Jill & Karl Wallin/FPG International; 392 (b), Phil Borden/PhotoEdit; 393 (br), Burstein Goldman. **Chapter 13:** Page 394, Stephen Simpson/FPG International; 395 (l), Dr. C.W. Dill/Texas A&M University; 397 (l), Neal Mishler/FPG International. **Chapter 14:** Page 424, J & L Weber/Peter Arnold; 435, Hulton Getty/Tony Stone Images; 446, L.S. Stepanowicz/Bruce Coleman. **Chapter 15:** Page 452, Richard B. Swint, M.D.; 465, Charles D. Winters/Photo Researchers; 475, Ray Pfortner/Peter Arnold. **Chapter 16:** Page 480, Clay H. Wiseman/Animals Animals; 482 (all), Richard Megna/Fundamental Photographs; 492, Ken Simmons/Massachusetts Division of Fisheries & Wildlife; 493 (all), Jerry Mason/Science Photo Library/Photo Researchers; 494 (b), Charles D. Winters/Photo Researchers; 498 (all), Richard Megna/Fundamental Photographs. **Unit 6:** Page 508-509 (c), Myron/Tony Stone Images; 508 (br), Richard Megna/Fundamental Photographs; 509 (l, r), AP/Wide World Photos. **Chapter 17:** Page 511, Paul Chesley/Tony Stone Images; 531, Larry Stepanowicz. **Chapter 18:** Page 552, Greg Edmonds/Earth Images; 557 (all), E.R.

Degginger/Color-Pic; 561, Steve McCutcheon/Visuals Unlimited. **Chapter 19:** Page 590, Frank Rossotto/The Stock Market; 593, Richard Megna/Fundamental Photographs; 596, Renee Lynn/Photo Researchers; 605 (b), Richard L. Carlton/Photo Researchers; 605 (t), Thomas Eisner and Daniel Aneshansley/Cornell University. **Unit 7:** Page 622-623 (c), Photo Researchers; 623 (br), Science Photo Library/Photo Researchers. **Chapter 20:** Page 626, Smithsonian Institution; 627, Runk/Schoenberger/Grant Heilman Photography; 628 (l), Paul Damien/Tony Stone Images; 630 (b), Gregory K. Scott/Photo Researchers; 633, Runk/Schoenberger/Grant Heilman Photography; 643, David Spindel/Superstock; 644, Keith Wood/Tony Stone Images; 645, M. Veale/Frontera Fotos; 646, David Blakenship/University of Florida Engineering Publications; 652, Kevin Anderson/Tony Stone Images. **Chapter 21:** Page 662, Ken Whitmore/Tony Stone Images; 668, Ozone Processing Team Code 916/NASA Goddard Space Flight Center; 674, Seth Joel/Science Photo Library/Photo Researchers; 678, Matt Meadows/Peter Arnold; 680, Rosalind Franklin/Photo Researchers; 688, Charles O. Cecil/Visuals Unlimited; 689, Chris Sorensen/The Stock Market; 692, Department of Chemical Engineering/North Carolina State University. **Chapter 22:** Page 700, David Parker/ Science Photo Library/Photo Researchers; 711, Fermilab Visual Media Services; 715, Custom Medical Stock Photo, 1991 Peter Berndt, M.D.,P.A.; 719 (l), Roger Ressmeyer/Corbis; 719 (r), Los Alamos National Laboratory; 720, 721, Emilio Segre Visual Archives. Niels Bohr Library/American Institute of Physics. **Elements**

**Handbook:** 729 (cl, cr, bc), Lester Bergman/The Bergman Collection; 729 (bl, br), E.R. Degginger/Color-Pic; 730 (all), Phillip Robbins/Phi-Lo Photo; 733, Rick Lance/PhotoTake; 734 (cl), E.R. Degginger/Color-Pic; 734 (c), Carl Frank/Photo Researchers; 734 (bl), Gary Retherford/Photo Researchers; 734 (br), Breck P. Kent/Animals Animals; 735 (bl, bc), Yoav Levy/PhotoTake; 735 (br), Larry Stepanowicz; 736, Mauritius/Superstock; 737 (b), S.L. Craig Jr./Bruce Coleman; 738, Chris Rogers/Rainbow; 739, E.R. Degginger/Color-Pic; 740 (br), Brent Cavado/Superstock; 740 (tr), Thomas Del Brase/Tony Stone Images; 740 (cr), Larry Stepanowicz; 740 (bl), Barbara Filet/Tony Stone Images; 740 (bc), Ken Lucas/Visuals Unlimited; 741 (tl), Jeff Greenberg/David R. Frazier Photolibrary; 741 (cr), L.S. Stepanowicz/Visuals Unlimited; 743 (all), 744 (br), Tom Pantages; 744 (tr, tl), Larry Stepanowicz; 745, Dan McCoy/Rainbow; 746 (l), Hank Morgan/Rainbow; 746 (r), Dan Rubin/The Stock Shop/Medichrome; 750 (cr), Science VU-AAI/Visuals Unlimited; 750 (br), Arthur R. Hill/Visuals Unlimited; 751 (br), Tom Pantages; 752, CoCo McCoy/Rainbow; 753, Tom Pantages; 754 (bl), J & L Weber/Peter Arnold; 760, Tom Pantages; 762, Irving Geis/Science Source/Photo Researchers; 770 (cr), Peter Salek/Tony Stone Images; 771 (c, r), E.R. Degginger/Color-Pic; 772 (r), George Glod/Superstock; 772 (l), Peter Beck/The Stock Market; 774 (cl), Heather Angel/Biophotos; 774 (cr, br), E.R. Degginger/Color-Pic; 781 (bl), Tom Tracy/The Stock Shop/Medichrome. **Laboratory Experiments:** Page 784-785, Harry Giglio/Photri; 794, Paul Berg Photography; 801,

Yoav Levy/PhotoTake; 806, E.R. Degginger/Color-Pic; 818 (t), David Scharf/Peter Arnold; 878, Tom Pantages; 890, Artists of Iowa, The Magna Collections; 891, Tom Pix/Peter Arnold. **Photos by Charles D. Winters:** Page viii (bl), ix (bl), xi (bl), xiii (b), xiv, 5 (l), 11, 12, 14, 16 (l, r), 17 (r), 18 (all), 22 (l, r), 23 (all), 38, 132 (t, c), 134 (c, r), 200 (br), 208, 215, 223, 241, 242 (all), 250, 257 (all), 260, 261, 268, 292, 301 (cl), 316 (all), 324, 364 (bl, bc, br), 365 (bl, bc), 367 (bc), 395 (c), 407 (all), 427, 428, 434 (all), 453 (bl), 454, 456 (all), 457, 458, 462, 463, 466 (all), 472, 474, 494 (t), 512 (all), 527 (all), 539 (all), 540, 553, 566, 568, 570 (all), 592 (all), 599, 603, 606 (all), 608, 665, 669, 673, 683, 684 (all), 686, 687, 690, 691, 728 (l), 729 (tl, tr), 735 (t, cl, cr), 737 (t), 741 (bl, br, tr, cl), 742 (all), 750 (cl, bl), 751 (tr, bl), 754 (cr, cl, br), 755, 763, 767 (all), 770 (bl, br), 771 (l), 774 (bl), 775 (all), 780 (all), 781 (tr, br), 790, 791 (all), 792, 795, 799, 800, 802, 805 (all), 808, 810, 811 (all), 813, 814 (all), 815, 817, 818 (b), 822, 824, 835, 836 (all), 839, 842, 843 (all), 845, 846 (all), 847, 848, 850, 851, 852, 853, 855, 856, 857, 862, 863, 865 (all), 868 (all), 869 (all), 871, 872, 874, 876 (all), 880, 882, 883, 888. **HRW Photos by: Dennis Fagan,** Page 81 (all), 308 (all), 354, 364 (t), 572 (all), 887; **Richard Haynes,** Page 398; **John King,** Page 499 (all), 582 (all); **John Langford,** Page 200-201 (c), 731; **Peter Van Steen,** Page 352, 402, 453 (br), 495. **Sergio Purtell,** Page 13, 16 (c), 29, 46, 61, 245, 258, 262, 263 (all), 304, 334 (all), 367 (bl), 397 (r), 400 (all), 413 (all), 416 (l), 497, 500 (all), 501 (all), 565 (all), 571, 629 (all), 651, 676, 714 (all), 728 (c, r), 729 (tc), 820, 830, 834, 892 (all).